



Aura F RCT - Ceiling Tile

Acoustic Ceiling Tile (T frame compatible)







Performance



Technical Information





Features

Absorption Range: 315 Hz to 4000 Hz Acoustic Class: A | (aw) = 0,9

Recycled PET absorption- Class 1 product according to the OEKO-TEX@ Standard 100.

This product is available in the following Fire Rates: FG | Furniture Grade FR | Fire Rated

PRODUCT COMPOSITION:

Aura F - Ceiling Tile | Suede Fabric Finishes (FG)

- Suede Acoustic Fabric
- Sound PET acoustic core Euro Class B

Aura F - Ceiling Tile | Twill Fabric Finishes (FR & COVID-19 Safe)

- Twill Acoustic Fabric COVID-19 Safe
- Sound PET acoustic core Euro Class B

Aura F - Ceiling Tile | Felted Fabric Finishes (FR)

- Felted Acoustic Fabric
- Sound PET acoustic core Euro Class B
- $\ensuremath{^*}$ also available for imperial sized ceiling grids, upon request.

Metric Ceiling Gird | 600x1200mm

The PET core is a material made entirely from recycled PET plastic, that undergoes an environmentally-friendly transformation process into the non-woven acoustic core we use in this panel. To keep this process as efficient as possible, the thickness of the product may vary slightly (±3mm).

Dimensions:

FG - SF | 595x1190x20mm | 3.08 Kg FR - GP | 595x1190x20mm | 3.08 Kg FR - TF | 595x1190x20mm | 3.08 Kg FR - TT | 595x1190x20mm | 2.68 Kg



Aura F RCT - Ceiling Tile

Acoustic Ceiling Tile (T frame compatible)

Aura Fabric is made from recycled PET, a sustainable material with exceptional acoustic properties. This ceiling tile range offers a choice of quality acoustic fabric finishes.

These minimalistic lightweight panels drop easily on standard European ceiling grids, granting fast and effortless installation.

Product finishes

(FG - SF) Suede Fabric Finishes



(FR - GP) Glazed PET Finish





FR | (F16) White Raw PET FR | (F17) Black Raw PET

(FR - TF) Twill Fabric Finishes | COVID-19 Safe (cleanable)



(FR - TT) Felted Fabric Finishes



Purpose

- RT Reduction
- Improving speech intelligibility
- High-frequency absorption

Recommended for

- Office
- Hospitality
- Public Spaces
- Conference Room
- Auditorium