




**Performance**



**Technical Information**



**Features**

Absorption Range: 350 Hz to 3150 Hz  
Acoustic Class: C | (aw) = 0,7

This product is available in the following Fire Rates:

- FG | Furniture Grade
- FR | Fire Rated

**PRODUCT COMPOSITION:**

Norma 8 SQR I | Natural Wood Veneer | Primer Finished HMDF (FG)  
- Natural Wood Veneer | Primer Finished HMDF \*  
- Sound PET acoustic core - Euro Class B

Norma 8 SQR I | Natural Wood Veneer | Lacquered Fire retardant HMDF (FR)  
- Natural Wood Veneer | Lacquered Fire Retardant HMDF  
- Sound PET acoustic core - Euro Class B

\* finished with a white or black primer paint that gives it a raw, matte effect.

- Perforated area: 5%

**Dimensions:**

- FG - PP | 605x605x38mm | 2.9 Kg
- FG - LW | 605x605x38mm | 2.9 Kg
- FG - NW | 605x605x38mm | 2.9 Kg
- FR - LW | 605x605x39mm | 2.9 Kg
- FR - NW | 605x605x39mm | 2.9 Kg

The refurbished Artnovion ceiling tile range is the perfect acoustic solution to apply on any T-frame grid system. This product line features adapted versions of the panel designs you love, all fully compatible with public building regulations and available in 4 different sizes – two for metric sized (M) and two for imperial sized (I) grid structures. Our ceiling tiles provide a simple, fast installation procedure in multiple environments such as shopping centers, offices, clinics and waiting rooms.

**Product finishes**

**(FG - PP) Painted Primer Finishes**



FG | (L11) Raw White



FG | (L12) Raw Black

**(FG - LW) Lacquered Wood Finishes**



FG | (L16) RAL 9003



FG | (L17) RAL 9005

**(FG - NW) Natural Wood Finishes**



FG | (W08) Wenge Natura



FG | (W09) Black Walnut  
Natura



FG | (W11) Okoumé  
Natura



FG | (W12) Ash Natura

**(FR - LW) Lacquered Wood Finishes**



FR | (L16) RAL 9003



FR | (L17) RAL 9005

**(FR - NW) Natural Wood Finishes**



FR | (W08) Wenge Natura




FR | (W09) Black Walnut  
Natura



FR | (W11) Okoumé Natura



FR | (W12) Ash Natura



**Purpose**

- RT Reduction
- Improving speech intelligibility
- High frequency absorption

**Recommended for**

- Office
- Hospitality
- Public Spaces
- Conference Room
- Auditorium